The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-24648

Stream : St. Marys River

Applicant : City of Decatur

Anne Butcher

1309 North Monmouth Road Decatur, IN 46733-1195

Description : The City proposes to construct three new concrete aeration tanks, one new

concrete clarifier, and a new block lab/administration building at the site of the existing wastewater treatment plant. Work in the floodway will consist of the installation of three new concrete aeration tanks and extending the existing 6' security fence approximately 25' south. Details of the project are contained in information received electronically at the Division of Water on December 20, 2007

and in plans and information received at the Division of Water on January 8,

2008.

Location : Approximately 1000' north and 650' west of the Monmouth Road stream crossing

near Decatur, Root Township, Adams County

SE14, SE14, SW14, Section 27, T 28N, R 14E, Decatur Quadrangle

Quad Code: 4008478

UTM Coordinates: Downstream 4523873 North, 674440 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24681

Stream : Black River

Applicant : Posey County LLC

Jim Swinney

817 West 4th Street

PO Box 565

Mt. Vernon, IN 47620-0565

Description : An approximate 30' by 30' existing non residential structure will be removed and

replaced by a 42' x 64' non residential structure. The existing equipment repair building is deteriorated beyond repair. Details of the project are contained in information and plans received at the Division of Water on January 25, 2008 and

February 4, 2008.

Location : Approximately 250' east of the intersection of 1st Street and East Street

near Griffin, Bethel Township, Posey County

Section 6, T 4S, R 13W, New Harmony, IN-IL Quadrangle

Quad Code: 3808728

UTM Coordinates: Downstream 4228924 North, 420113 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24692

Stream : Indian Kentuck Creek

Applicant : Jerry J & Laura B Hunter

8550 East Doe Run Road Madison, IN 47250-8541

Description : A new concrete boat ramp will be constructed along 16 linear feet of the

applicants frontage along the Indian Kentuck Creek next to an existing boat ramp. The ramp will be excavated to a depth of 4' below grade at the edge of the creek. All soil removed will placed on the property outside the floodway. The side slopes will be stabilized with riprap. Details of the project are contained in information and plans received at the Division of Water on January 30, 2008 and February 5,

2008.

Location : Along the east bank of the Indian Kentuck Creek about .52 mile upstream where

the creek enters the Ohio River.

near Madison, Milton Township, Jefferson County

SW1/4, NW1/4, NW1/4, Section 6, T 3N, R 12E, Carrollton, KY-IN Quadrangle

Quad Code: 3808562

UTM Coordinates: Downstream 4288952 North, 653080 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24693

Stream : Driftwood River

Applicant : Blue's Canoe Livery

Jeff L & Marlene Blue 6700 West Lowell Road Columbus, IN 47201-4648

Description : A 30' by 40' by 8' restroom facility and septic system will be constructed. Details

of the project are contained in information and plans received at the Division of

Water on January 31, 2008.

Location : Located on the Driftwood River near the I-65 & US 31 interchange north of

Columbus.

near Edinburgh, German Township, Bartholomew County

SW¼, NE¼, SE¼, Section 16, T 10N, R 5E, Edinburgh Quadrangle

Quad Code: 3908538

UTM Coordinates: Downstream 4351361 North, 588539 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24699

Stream : Greens Fork

Applicant : Wayne County Highway Engineer

Andrew Wortkoetter, PE

PO Box 7

8198 US Highway 40

Centerville, IN 47330-9689

Description

The existing three-span cast-in-place concrete girder bridge carrying Ted Davis Road over Greens Fork will be replaced with a new structure on essentially the same alignment to improve traffic flow and improve safety. The new structure will be a 3-span continuous composite steel beam bridge with span lengths of 66 ft. 83 ft, and 66 ft. The structure will have an out-to-out length of 217.31 ft and a clear roadway width of 30.5 ft. The spill through end bents will have 2:1 sideslopes armored with 18inch revetment riprap. The end bents and piers will be skewed 30 degrees right to align with the stream flow. The new approach roads will be elevated a maximum of 3.4 ft above the existing approach to the west and 3.23 feet to the east. The existing structure will be completely removed. The project is not federally funded. A side channel, 'Our Way', in the northeast quadrant will be re-aligned for 145 Lft. to allow for approach roadway widening and will have 2:1 side slopes and will be armored with 18" revetment riprap on the roadway embankment only in the area of re-alignment. Details of the project are contained in information received electronically at the Division of Water on February 6, 2008 and in plans and information received at the Division of Water on

Location

This bridge replacement project of Wayne County Bridge No. 185 is located on Ted Davis Road over Greens Fork which is located 500 feet west of the intersection of Ted Davis Road and N. Washington Road near Greens Fork, Clay Township, Wayne County Section 3, T 16N, R 13E, Jacksonburg Quadrangle Quad Code: 3908571

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24701

Stream : Ohio River

Applicant : Vectren Corporation

Mark Wannemueller Environmental Affairs

P.O. Box 209

Evansville, IN 47702-0209

Description

: A 6" diameter plastic gas pipeline will parallel the Ohio River within the 100-yr floodplain for approximately 1,560 feet west of Mt. Vernon, IN. The purpose is to expand distribution in Posey County near Mt. Vernon. The pipeline will be installed via trenching at a minimum depth of 3 feet along the north side of Bluff Road. It is not within the road's ROW. The open trench will be brought back to pre-construction grade by returning stockpiled soil to the open trench. The top 6"to 12" of material returned to the open trench will consist of topsoil. The ground surface will be seeded with a permanent seed mix. The vegetation in this section is currently mowed turf. Details of the project are contained in information received electronically at the Division of Water on February 6, 2008 and in plans and information received at the Division of Water on

East of Mt. Vernon and west of McFadden Creek, the pipeline extends south approximately 6,600 feet from SR 69 to Bluff Road immediately north of the Ohio River. The section of pipeline that parallels the Ohio River for more than 50 feet is approximately 1560 feet long.

Near Mt. Vernon, Black Township, Posey County

Section 9, T7S, R13W, Mount Vernon, IN-KY Quadrangle

Quad Code: 3708788

Statute/Rule

Location

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24702

Stream : Unnamed Tributary

Iroquois River

Applicant : Texas Eastern Products Pipeline Company

Steve Rogers P.O.Box 99

Corning, NY 14830-0099

Description : A 50' x 30' Ecoflex Articulating Grout Mat, consisting of woven polyester cables

pumped full of a sand cement mixture, over filter fabric will be used to cover an existing, exposed 14" diameter pipeline. Prior to placing the filter fabric and grout mat, the pipeline will be covered with a rock shield. The project will include the cutting and contouring of the project area to and acceptable slope. Details of the project are contained in information received electronically at the Division of Water on February 6, 2008 and in plans and information received at the Division

of Water on

Location : Rural Area, project is located within the banks of a Tributary to Iroquois River

.2 mile East of CR-100W, 1.2 miles North of where it intersects with SR-114

GPS Coordinates 40.9783 -87.2349

Near Rensselaer, Newton Township, Jasper County Section 9, T 29N, R 7W, Rensselaer Quadrangle

Quad Code: 4008782

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24705

Stream : Unnamed Tributary Middle

Branch Clifty Creek

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description : A 42"diameter steel natural gas pipline will be placed beneath a tributary to

Middle Branch Clifty Creek. The pipeline will be placed by the open-cut method. It will have a minimum of 5' of cover beneath the streambed and a minimum of 3'

in the banks. Details of the project are contained in information received electronically at the Division of Water on February 7, 2008 and in plans and

information received at the Division of Water on

Location : The pipeline will cross the tributary to Middle Branch Clifty Creek about 3.1 miles

northeast of Sandusky, Indiana, about 1.5 miles northwest of the intersection of E

CORD 500 N and N CORD 350 E, and about 0.5 mile west/northwest of the

intersection of N CORD 350 E and CORD 600 N. Near Sandusky, Clinton Township, Decatur County

Section 4, T 11N, R 10E, Milroy Quadrangle

Quad Code: 3908544

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : LM-157

Lake : Lake Michigan

Applicant : US Army Corps of Engineers Chicago District

Jennifer Raber

111 North Canal Street, Suite 600

Chicago, IL 60606-7221

Description : Approximately 22,900 tons of stone will be placed to reinforce an existing

breakwater. The stone will be placed along the existing rock line to prevent the erosion and failure of the breakwater caused by wave action. Details of the project are contained in information and plans received at the Division of Water

on January 28, 2008.

Location : Burns Waterway Harbor

DOWNSTREAM: near Portage, Westchester Township, Porter County SE¼, NW¼, SW¼, Section 19, T 37N, R 6W, Portage Quadrangle

Quad Code: 4108752

UTM Coordinates: Downstream 4610037 North, 486497 East

UPSTREAM: SE¼, NE¼, NE¼, Section 19

UTM Coordinates: Upstream 4610794 North, 487869 East

Statute/Rule : Navigable Waterway Act, with the associated IC 14-29-1, Navigable Waterway

Application # : LM-158

Lake : Lake Michigan

Applicant : Indiana Port Commission

John W Hughes, PE

150 West Market Street, Suite 100 Indianapolis, IN 46204-2812

Description : Approximately 150' feet of an existing steel sheet pile bulkhead dockwall will be

reinforced by placing approximately 700 tons of stone will be placed at the toe of the wall for reinforcement. Details of the project are contained in information and

plans received at the Division of Water on January 31, 2008.

Location : West Harbor Arm of the Port of Indiana

DOWNSTREAM: near Burns Harbor, Portage Township, Porter County NW¼, SE¼, NW¼, Section 20, T 37N, R 6W, Ogden Dunes Quadrangle

Quad Code: 4108762

UTM Coordinates: Downstream 4608934 North, 486788 East

UPSTREAM:

UTM Coordinates: Upstream 4608999 North, 486783 East

Statute/Rule : Navigable Waterway Act, with the associated IC 14-29-1, Navigable Waterway

Application # : PL-20936

Lake : Witmer Lake

Applicant : Mervin Beechy

1185 West US Highway 20 LaGrange, IN 46761-9477

Description : A steel sheet piling seawall will be constructed across 114' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. An existing 25' wide by 80' long section of a channel will be dredged in front of the applicant's frontage. Approximately 4' of accumulated muck and debris will be removed from the channel bed with the use of a hydraullic

excavator. The excavated material will be transported to an upland containment

area for dewatering and disposal. Details of the project are contained in information and plans received at the Division of Water on January 14, 2008,

January 16, 2008, January 22, 2008 and February 4, 2008.

Location : 1795 East 720 South

near Wolcottville, Johnson Township, LaGrange County

NW1/4, SE1/4, NW1/4, Section 32, T 36N, R 10E, Wolcottville Quadrangle

Quad Code: 4108553

UTM Coordinates: Downstream 4599666 North, 634297 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20945

Lake : Adams Lake

Applicant : Ronald J and Elizabeth A Martin

5130 East 620 South

Wolcottville, IN 46795-9441

Description : A concrete seawall will be refaced with a layer of concrete across 60' of the

applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on January 25, 2008.

Location : 6180 South 520 East

near Wolcottville, Johnson Township, LaGrange County

NE1/4, SE1/4, NW1/4, Section 25, T 36N, R 10E, Wolcottville Quadrangle

Quad Code: 4108553

UTM Coordinates: Downstream 4601487 North, 639736 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20948

Lake : Witmer Lake

Applicant : Vernon L & Cynthia S Yoder

6755 South State Road 9 Wolcottville, IN 46795-9054

Description : A concrete seawall will be constructed across 68' of the applicant's frontage. The

lakeward face of the wall will be located along the lake's legal shoreline. The existing glacial stone and concrete mortar seawall will be completely removed. Details of the project are contained in information and plans received at the

Division of Water on January 29, 2008 and February 5, 2008.

Location : 1745 East 765 South

near Wolcottville, Johnson Township, LaGrange County

SE¼, NW¼, SE¼, Section 32, T 36N, R 10E, Oliver Lake Quadrangle

Quad Code: 4108554

UTM Coordinates: Downstream 4598894 North, 633978 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20949

Lake : Winona Lake

Applicant : Winona Hotel Condominium Association

Pay Piper

One Park Avenue, Unit 202 Winona Lake, IN 46590-1075

Description : A temporary group pier consisting of a total of twelve (12) individual 28' long

floating docks will be placed in the lake for boat docking. The slips will be

supported by a single 300' wide "T" section placed approximately 25' lakeward of the lake's legally established shoreline which shall run parallel to the shoreline. Details of the project are contained in information and plans received at the

Division of Water on February 5, 2008 and February 7, 2008.

Location : Northeast corner of the lake; directly across Park Avenue from the Winona Hotel

Condominium

at Winona Lake, Wayne Township, Kosciusko County

NW1/4, SW1/4, NW1/4, Section 15, T 32N, R 6E, Warsaw Quadrangle

Quad Code: 4108527

UTM Coordinates: Downstream 4565056 North, 598631 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake